





primetex

- THICK, + RESISTANT
THE BEST VALUE FOR MONEY

NON-TEAR



NO GLUE



ALL USES FLOOR



>95% RECYCLED FIBRES

primetex

WOOD





1-Prisme Light

2 m: Code: 1368 2060 - EAN: 3475710392061
 4 m: Code: 1548 2060 - EAN: 3475710389269

2-Prisme Blond

2 m: Code: 1368 2061 - EAN: 3475710392078
 4 m: Code: 1548 2061 - EAN: 3475710389276

3-Prisme Grey

2 m: Code: 1368 2062 - EAN: 3475710392085
 4 m: Code: 1548 2062 - EAN: 3475710389283

4-Tribeca Light

2 m: Code: 1368 1586 - EAN: 3475710264498
 3 m: Code: 1648 1586 - EAN: 3475710304767
 4 m: Code: 1548 1586 - EAN: 3475710264467

5-Cognac Blond

2 m: Code: 1368 2007 - EAN: 3475710372575
 4 m: Code: 1548 2007 - EAN: 3475710374449

6-Cognac Pearl

2 m: Code: 1368 2006 - EAN: 3475710372568
 4 m: Code: 1548 2006 - EAN: 3475710374432



1



2



3

.....
NEW



4



5



6

2006 - Cognac Pearl





2008 - Versailles Light Blue

primetex WOOD

1-Versailles Light Blue

2 m: Code: 1368 2008 - EAN: 3475710372582
4 m: Code: 1548 2008 - EAN: 3475710374456

2-Versailles Naturel

2 m: Code: 1368 2009 - EAN: 3475710372599
4 m: Code: 1548 2009 - EAN: 3475710374463

3-Lewis Grey

2 m: Code: 1368 1973 - EAN: 3475710360077
4 m: Code: 1548 1973 - EAN: 3475710360060

4-Factory Pecan

2 m: Code: 1368 1533 - EAN: 3475710249891
3 m: Code: 1648 1533 - EAN: 3475710324772
4 m: Code: 1548 1533 - EAN: 3475710249839

5-Versailles Perle

2 m: Code: 1368 1996 - EAN: 3475710371417
4 m: Code: 1548 1996 - EAN: 3475710371387

6-Tribeca Grey

2 m: Code: 1368 1585 - EAN: 3475710264481
3 m: Code: 1648 1585 - EAN: 3475710324796
4 m: Code: 1548 1585 - EAN: 3475710264450

7-Fabrik Grey

2 m: Code: 1368 1800 - EAN: 3475710318375
4 m: Code: 1548 1800 - EAN: 3475710318344

8-Cognac Grey

2 m: Code: 1368 2016 - EAN: 3475710373237
4 m: Code: 1548 2016 - EAN: 3475710375576

9-Fisherman Ocean

2 m: Code: 1368 1667 - EAN: 3475710300431
3 m: Code: 1648 1667 - EAN: 3475710374524
4 m: Code: 1548 1667 - EAN: 3475710300424

10-Factory Anthracite

2 m: Code: 1368 1532 - EAN: 3475710248221
3 m: Code: 1648 1532 - EAN: 3475710290176
4 m: Code: 1548 1532 - EAN: 3475710248214



1



2



3

..... NEW



2068 - Cognac Blanc

primetex WOOD

1-Cognac Blanc

2 m: Code: 1368 2068 - EAN: 3475710392115
4 m: Code: 1548 2068 - EAN: 3475710391026

2-Nordic Beige

2 m: Code: 1368 1689 - EAN: 3475710306426
3 m: Code: 1648 1689 - EAN: 3475710339789
4 m: Code: 1548 1689 - EAN: 3475710304484

3-Fabrik White

2 m: Code: 1368 1921 - EAN: 3475710373244
4 m: Code: 1548 1921 - EAN: 3475710349232

4-Fisherman Washed

2 m: Code: 1368 1728 - EAN: 3475710306334
3 m: Code: 1648 1728 - EAN: 3475710317644
4 m: Code: 1548 1728 - EAN: 3475710306143

5-Nordic White


2 m: Code: 1368 1681 - EAN: 3475710304736
3 m: Code: 1648 1681 - EAN: 3475710324789
4 m: Code: 1548 1681 - EAN: 3475710304712

6-Playa White


2 m: Code: 1367 1193 - EAN: 3475710217623
3 m: Code: 1647 1193 - EAN: 3475710222610
4 m: Code: 1547 1193 - EAN: 3475710216121



4



5



6

primetex WOOD

1-Aurore Natural

2 m: Code: 1304 0137 - EAN: 3475710127830
4 m: Code: 1474 0137 - EAN: 3475710122507

2-Timber Clear

2 m: Code: 1368 0720 - EAN: 3475710250637
3 m: Code: 1648 0720 - EAN: 3475710250699
4 m: Code: 1548 0720 - EAN: 3475710250521

3-Timber Medium

2 m: Code: 1368 0721 - EAN: 3475710250644
3 m: Code: 1648 0721 - EAN: 3475710250705
4 m: Code: 1548 0721 - EAN: 3475710250538

4-Cajou Honey

2 m: Code: 1368 1236 - EAN: 3475710250583
3 m: Code: 1648 1236 - EAN: 3475710250668
4 m: Code: 1548 1236 - EAN: 3475710250477

5-Cajou Brown

2 m: Code: 1368 1152 - EAN: 3475710250576
3 m: Code: 1648 1152 - EAN: 3475710250651
4 m: Code: 1548 1152 - EAN: 3475710250460

6-Cerasus Chocolate

2 m: Code: 1368 1726 - EAN: 3475710317217
3 m: Code: 1648 1726 - EAN: 3475710339776
4 m: Code: 1548 1726 - EAN: 3475710306167



1



2



3



4



5



6



0720 - Timber Clear

primetex WOOD

1-Newport White

2 m: Code: 1368 1528 - EAN: 3475710249860
3 m: Code: 1648 1528 - EAN: 3475710317651
4 m: Code: 1548 1528 - EAN: 3475710249808

2-Newport Pecan

2 m: Code: 1368 1538 - EAN: 3475710249884
3 m: Code: 1648 1538 - EAN: 3475710250767
4 m: Code: 1548 1538 - EAN: 3475710249822

3-Newport Clear

2 m: Code: 1368 1527 - EAN: 3475710249853
3 m: Code: 1648 1527 - EAN: 3475710351259
4 m: Code: 1548 1527 - EAN: 3475710249792

4-Newport Honey

2 m: Code: 1368 1556 - EAN: 3475710317224
3 m: Code: 1648 1556 - EAN: 3475710361661
4 m: Code: 1548 1556 - EAN: 3475710253812

5-Cajou Grey

2 m: Code: 1368 1151 - EAN: 3475710306433
4 m: Code: 1548 1151 - EAN: 3475710306174



1



2



3



4



1528 - Newport White



5


primetex

MINERAL





1936 - Modena Anthracita



1

1-Verone Grey

2 m: Code: 1367 0836 - EAN: 3475710217753
 3 m: Code: 1647 0836 - EAN: 3475710340512
 4 m: Code: 1547 0836 - EAN: 3475710217494




2

2-Modena Anthracita

2 m: Code: 1368 1936 - EAN: 3475710354564
 3 m: Code: 1648 1936 - EAN: 3475710370410
 4 m: Code: 1548 1936 - EAN: 3475710354533

3-Verone Light Grey

2 m: Code: 1367 1284 - EAN: 3475710216589
 3 m: Code: 1647 1284 - EAN: 3475710317613
 4 m: Code: 1547 1284 - EAN: 3475710215131



3

4-Victoria Light

2 m: Code: 1367 1547 - EAN: 3475710331916
 4 m: Code: 1547 1547 - EAN: 3475710331893

5-Quartzite Beige

2 m: Code: 1368 1933 - EAN: 3475710358876
 4 m: Code: 1548 1933 - EAN: 3475710347801

6-Victoria Beige

2 m: Code: 1367 1546 - EAN: 3475710331909
 3 m: Code: 1647 1546 - EAN: 3475710337772
 4 m: Code: 1547 1546 - EAN: 3475710331886

7-Verone White

2 m: Code: 1367 0859 - EAN: 3475710325373
 3 m: Code: 1647 0859 - EAN: 3475710341922
 4 m: Code: 1547 0859 - EAN: 3475710325366



4



5



6



7

NEW



4



5



6

- 1-Bacara Clair**
2 m: Code: 1368 2058 - EAN: 3475710392047
4 m: Code: 1548 2058 - EAN: 3475710389245
- 2-Bacara Ardoise**
2 m: Code: 1368 2059 - EAN: 3475710392054
4 m: Code: 1548 2059 - EAN: 3475710389252
- 3-Bacara Bleu**
2 m: Code: 1368 2057 - EAN: 3475710392030
4 m: Code: 1548 2057 - EAN: 3475710389238
- 4-Handmade Silver Grey**
2 m: Code: 1368 2055 - EAN: 3475710392016
4 m: Code: 1548 2055 - EAN: 3475710389214
- 5-Handmade Grey**
2 m: Code: 1368 2056 - EAN: 3475710392023
4 m: Code: 1548 2056 - EAN: 3475710389221
- 6-Handmade Blue**
2 m: Code: 1368 2054 - EAN: 3475710392009
4 m: Code: 1548 2054 - EAN: 3475710389207



2055 - Handmade Silver Grey



2067 - Kaleido Clear


7-Kaleido Light
2 m: Code: 1368 2066 - EAN: 3475710392122
4 m: Code: 1548 2066 - EAN: 3475710373817

8-Kaleido Clear
2 m: Code: 1368 2067 - EAN: 3475710392139
4 m: Code: 1548 2067 - EAN: 3475710373824

NEW



7



8

primetex

ALL OVER



2063 - Leone Light



1-Leone Light

2 m: Code: 1368 2063 - EAN: 3475710392092
 4 m: Code: 1548 2063 - EAN: 3475710389290

2-Leone Clear

2 m: Code: 1368 2064 - EAN: 3475710392108
 4 m: Code: 1548 2064 - EAN: 3475710389306

3-Leone Blue

2 m: Code: 1368 2065 - EAN: 3475710391996
 4 m: Code: 1548 2065 - EAN: 3475710389313

4-Dune White

2 m: Code: 1367 1588 - EAN: 3475710264542
 3 m: Code: 1647 1588 - EAN: 3475710324802
 4 m: Code: 1547 1588 - EAN: 3475710264511

5-Dune Grey

2 m: Code: 1367 1589 - EAN: 3475710264559
 3 m: Code: 1647 1589 - EAN: 3475710317637
 4 m: Code: 1547 1589 - EAN: 3475710264528

6-Harlem Taupe


2 m: Code: 1234 1845 - EAN: 3475710340352
 4 m: Code: 1734 1845 - EAN: 3475710329722



1



2



3

NEW



4



5



6



1



2



3



4





1608 - Tweed Silver Grey

primetex ALL OVER

1-Gravel Beige

2 m: Code: 1304 0711 - EAN: 3475710181313
3 m: Code: 1564 0711 - EAN: 3475710180897
4 m: Code: 1474 0711 - EAN: 3475710180323

2-Gravel Grey

2 m: Code: 1304 0712 - EAN: 3475710181320
3 m: Code: 1564 0712 - EAN: 3475710180903
4 m: Code: 1474 0712 - EAN: 3475710180330

3-Tweed Light Grey

2 m: Code: 1367 1594 - EAN: 3475710265129
3 m: Code: 1647 1594 - EAN: 3475710306419
4 m: Code: 1547 1594 - EAN: 3475710265112

4-Tweed Silver Grey

2 m: Code: 1234 1608 - EAN: 3475710265785
3 m: Code: 1574 1608 - EAN: 3475710335501
4 m: Code: 1734 1608 - EAN: 3475710265778

5-Cork Naturel

2 m: Code: 1304 0027 - EAN: 3475710181290
3 m: Code: 1564 0027 - EAN: 3475710180873
4 m: Code: 1474 0027 - EAN: 3475710180309



5

TECHNICAL CHARACTERISTICS

			Diamalite	Pureclean
DESCRIPTION				
Total thickness	EN ISO 24346 (EN 428)	mm	2.0	
Wearlayer thickness	EN ISO 24340 (EN 429)	mm	0.20	0.25
Weight / Mass per unit area	EN ISO 23997 (EN 430)	g/sqm	1370	1390
Width of sheet	EN ISO 24381 (EN 426)	m	2 / 3 / 4	
Length of sheet	EN ISO 24341 (EN 426)	ml	± 30	

CLASSIFICATION				
Norm / Product specification	-	-	EN ISO 26986	
European classification	EN ISO 10874 (EN 685)	class	22	23/31
Sound insulation	EN ISO 717/2	dB	15	
Room impact noise	NF S 31074	class	A	
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _f -s1	
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _f -s1	
Slip resistance wet: ramp test with oil	DIN 51 130	class	R9	R10

PERFORMANCES				
Wear group	EN 660-2	group	T	
Dimensional stability after exposure to heat	EN ISO 23999 (EN 434)	%	0.05	
Residual indentation (requirement)	EN ISO 24343-1 (EN 433)	mm	< 0.35	
Residual indentation (average value measured)	EN ISO 24343-1 (EN 433)	mm	0.25	0.20
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 20 105-B02	degree	> 6	
Surface treatment	-	-	Diamalite	Pureclean
Guarantee		year	8	12

ENVIRONMENT				
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100	
French norm	-	-	A+	
Floorscore (US norm)	-	-	OK	
Agbb (German norm)	-	-	OK	

CE MARKING				
	EN 14041			

Areas of use: domestic use



HEALTH


- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- GFT backing: > 95% recycled fibres

ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning

Laying video





LAYING

The subfloor must be smooth, clean, dry, undamaged and flat.

Recommendations: unroll the floorcovering 24 hours before laying.

Floor covering should not be laid in rooms at a temperature is below 15°C.

Can be installed on underfloor heating (up to 28°C).

Weld the joints (cold-treatment product) to ensure good water-tightness.

Recommended laying methods:

- Loose laying without glue: up to 25 sq. m
- Laying without glue, with double-sided tape or hook & loop strips around the edges of the room: over 25 sq. m

If permanent laying with glue: use a single stick acrylic glue (approximately 250g/sq. m).

Use a finely-notched trowel.

CLEANING & CARE

Regular cleaning with a vacuum cleaner, dust mop or a wet cloth.

Cleaning: with water and a neutral detergent; rinse with clean water.

Stain removal: White Spirit removes almost all stains.

Do not use solvents.

Precautions: do not use floor wax.

Avoid rubber leg caps and casters. Replace with plastic caps and polyamide casters. Protect the bases and legs of your waxed furniture with a felt disc.

primetex



⊖ THICK
⊕ RESISTANT!
**BEST VALUE
FOR MONEY**

PRIMETEX,
NON-TEAR!

PRIMETEX,
NO GLUE !

Economical, quick and easy to lay



Saves extra costs

PRIMETEX,
ALL USES FLOOR



Watertight: ideal for wet rooms

- bathroom, kitchen

Easy to clean & hygienic